


Soft-connection series

SC-3

Soft-connection design in a larger tile.

Standard



400 × 400

Tile size / mm

15.5 mm

Thickness


470 g

Weight per tile

Polypropylene copolymer

A 400 mm format for broad court layouts

SC-3 brings the soft-connection series to a 400 mm module. Its 15.5 mm polypropylene profile offers a distinct construction choice in a standard configuration.



Module layout concept

0.16 m²

Nominal area per tile. A 400 × 400 mm module gives your plan a clear grid for color zones and edges.

Allow for cuts, edges and spare tiles when ordering.

01

A distinct connection format


The soft-connection design offers another construction choice within the polypropylene range. Compare a sample before choosing the final court surface.

02

Make the space clear with color

Separate playing and surrounding areas with contrasting colors. Confirm the available colors and line-marking plan for your project.


Built around your activities



Basketball courts & training

For shooting practice, movement drills and everyday play. Choose the configuration around the desired feel, court base and level of use.

Application illustration



Recreational tennis

An interlocking tile option for tennis-focused spaces. Select colors for the playing and surrounding areas, then confirm the venue's ball-response and traction requirements.

Layout concept · not to scale

Plan a stable, level base, drainage where needed, edge transitions and expansion space for the site.

Choose your configuration

400 × 400 mm · Tile length × width

SC-3	Standard
Thickness	15.5 mm
Tile weight	470 g
Tiles / carton	50
Area / carton	8 m ²
Gross / carton	24.9 kg

Packing: Standard

Net: 23.5 kg · 83 × 43 × 42 cm

Approximate carton dimensions. Pallets and extra packaging are additional.

Installation planning

Use a stable, level base. Coordinate drainage, edges, expansion gaps and line markings with the installer.

Get a layout & quotation

Tell us the model, quantity or court dimensions, and destination. We will help you choose the configuration and colors.

Email: info@tuoyueflooring.com

WhatsApp: +1 310-218-8336

tuoyueflooring.com ↗