


Elastic polymer series

HC-R6

305 mm modules in an elastic material.

Standard



305 × 305

Tile size / mm

17 mm

Thickness


510 g

Weight per tile

Soft plastic elastomer

A 17 mm profile for activity spaces

HC-R6 brings a 17 mm soft plastic elastomer profile to the 305 mm format. Use its interlocking tile layout to organize shared recreation areas and separate activity zones by color.



Module layout concept

≈ 0.093 m²

Nominal area per tile. A 305 × 305 mm module gives your plan a clear grid for color zones and edges.

Allow for cuts, edges and spare tiles when ordering.

01

Elasticity through the material


A soft plastic elastomer defines this series. Choose the sample feel around the daily activity and user group.

02

Make the space clear with color

Separate playing and surrounding areas with contrasting colors. Confirm the available colors and line-marking plan for your project.


Space for daily movement



Everyday children's activity

For ground-level games, movement and ordinary activity zones. An elastic material and color layout help shape the space around its daily use.

Application illustration



Recreational tennis

An interlocking tile option for tennis-focused spaces. Select colors for the playing and surrounding areas, then confirm the venue's ball-response and traction requirements.

Layout concept · not to scale

For ground-level activity. Areas beneath elevated play equipment need a separately specified impact-protection system.

Choose your configuration

305 × 305 mm · Tile length × width

HC-R6	Standard
Thickness	17 mm
Tile weight	510 g

Plan the order around your layout

Share the court dimensions and color plan for a tile quantity and packing proposal. Include cuts, edge pieces and spare tiles.

Material

Soft plastic elastomer

Installation planning

Use a stable, level base. Coordinate drainage, edges, expansion gaps and line markings with the installer.

Get a layout & quotation

Tell us the model, quantity or court dimensions, and destination. We will help you choose the configuration and colors.

Email: info@tuoyueflooring.com

WhatsApp: +1 310-218-8336

tuoyueflooring.com ↗