


Rubber-elastomer series

HC-Y25

A polymer surface with elastomer support.

Grey pads

**305 × 305**

Tile size / mm

15 mm

Thickness


352 g

Weight per tile

Polypropylene copolymer + rubber elastomer

Grey-pad configuration in a 305 mm tile

HC-Y25 pairs polypropylene copolymer with rubber elastomer elements. The grey-pad configuration is 15 mm thick and weighs 352 g per tile.



Module layout concept

≈ 0.093 m²

Nominal area per tile. A 305 × 305 mm module gives your plan a clear grid for color zones and edges.

Allow for cuts, edges and spare tiles when ordering.


01 Pad choices for jumping sports

For frequent jumping and landing, we recommend comparing a padded configuration. A sample lets you assess the feel before ordering.

02 Make the space clear with color

Separate playing and surrounding areas with contrasting colors. Confirm the available colors and line-marking plan for your project.


Built around your activities



Basketball courts & training

For shooting practice, movement drills and everyday play. Choose the configuration around the desired feel, court base and level of use.

Application illustration



Indoor badminton

Configuration: Grey pads

A hard polypropylene surface with broad contact areas supports court planning for quick changes of direction. Compare the padded option for added cushioning and check a sample with your playing shoes.

Layout concept · not to scale

Plan a stable, level base, drainage where needed, edge transitions and expansion space for the site.

Choose your configuration

305 × 305 mm · Tile length × width

HC-Y25	Grey pads
Thickness	15 mm
Tile weight	352 g
Tiles / carton	108
Area / carton	10.046 m ²
Gross / carton	39.666 kg

Packing: Grey pads

Net: 38.016 kg · 64 × 64 × 42 cm

Approximate carton dimensions. Pallets and extra packaging are additional.

Installation planning

Use a stable, level base. Coordinate drainage, edges, expansion gaps and line markings with the installer.

Get a layout & quotation

Tell us the model, quantity or court dimensions, and destination. We will help you choose the configuration and colors.

Email: info@tuoyueflooring.com

WhatsApp: +1 310-218-8336

tuoyueflooring.com ↗