


Soft-connection series

SC-N

Soft-connection design in 340 mm modules.

Standard



340 × 340

Tile size / mm

15.6 mm

Thickness


310 g

Weight per tile

Polypropylene copolymer

A smaller format in the connection series

SC-N uses a 340 mm footprint and a 15.6 mm polypropylene profile. Choose this format when a smaller layout module suits the court plan better than the 400 mm SC-3.



Module layout concept

0.1156 m²

Nominal area per tile. A 340 × 340 mm module gives your plan a clear grid for color zones and edges.

Allow for cuts, edges and spare tiles when ordering.

01

A distinct connection format

The soft-connection design offers another construction choice within the polypropylene range. Compare a sample before choosing the final court surface.

02

Make the space clear with color

Separate playing and surrounding areas with contrasting colors. Confirm the available colors and line-marking plan for your project.


Built around your activities



Recreational volleyball

A candidate for daily practice and shared recreation courts. Compare a sample for the feel you prefer and plan net posts, clearances and line markings together.

Application illustration



Recreational tennis

An interlocking tile option for tennis-focused spaces. Select colors for the playing and surrounding areas, then confirm the venue's ball-response and traction requirements.

Layout concept · not to scale

Plan a stable, level base, drainage where needed, edge transitions and expansion space for the site.

Choose your configuration

340 × 340 mm · Tile length × width

SC-N	Standard
Thickness	15.6 mm
Tile weight	310 g
Tiles / carton	75
Area / carton	8.67 m ²
Gross / carton	24.39 kg

Packing: Standard

Net: 23.25 kg · 106 × 37 × 40.5 cm

Approximate carton dimensions. Pallets and extra packaging are additional.

Installation planning

Use a stable, level base. Coordinate drainage, edges, expansion gaps and line markings with the installer.

Get a layout & quotation

Tell us the model, quantity or court dimensions, and destination. We will help you choose the configuration and colors.

Email: info@tuoyueflooring.com

WhatsApp: +1 310-218-8336

tuoyueflooring.com ↗