

Flat-surface series

FLAT-25

A flat surface in compact modules.

Standard

**250 × 250**

Tile size / mm

12.2 mm

Thickness


223 g

Weight per tile

Polypropylene copolymer

250 mm tiles for recreational skating layouts

FLAT-25 offers a flat polypropylene surface in a compact 250 mm format. It is a candidate for recreational roller-skating areas where a flat-surface tile is preferred.



Module layout concept

$$4 \times 4 = 1 \text{ m}^2$$

Sixteen tiles form a one-metre square. Use the small modules to map edges and color changes.

Allow for cuts, edges and spare tiles when ordering.


01 A flat face for skating layouts

Use the flat-surface format as a starting point for recreational skating. Plan joint alignment and transitions with the installer.

02 Make the space clear with color

Separate playing and surrounding areas with contrasting colors. Confirm the available colors and line-marking plan for your project.


A flat surface for recreation



Recreational roller skating

The flat surface is the starting point for this use. Plan an unobstructed skating zone and confirm joints, traction and edge transitions with the installer.

Layout concept · not to scale



School recreation areas

Use flat modules to organize ground-level activity areas. Colors can separate circulation and play zones; choose the final layout around the activities planned.

Application illustration

Plan a stable, level base, drainage where needed, edge transitions and expansion space for the site.

Choose your configuration

250 × 250 mm · Tile length × width

FLAT-25	Standard
Thickness	12.2 mm
Tile weight	223 g
Tiles / carton	160
Area / carton	10 m ²
Gross / carton	37.18 kg

Packing: Standard

Net: 35.68 kg · 53 × 53 × 49.5 cm

Approximate carton dimensions. Pallets and extra packaging are additional.

Installation planning

Use a stable, level base. Coordinate drainage, edges, expansion gaps and line markings with the installer.

Get a layout & quotation

Tell us the model, quantity or court dimensions, and destination. We will help you choose the configuration and colors.

Email: info@tuoyueflooring.com

WhatsApp: +1 310-218-8336

tuoyueflooring.com ↗