


Elastic polymer series

HC-R5

An 18 mm elastic profile.

Medium-soft



300 × 300

Tile size / mm

18 mm

Thickness


415 g

Weight per tile

Soft plastic elastomer

A 300 mm format for simple layout planning

HC-R5 combines a 300 × 300 mm tile with an 18 mm elastomer profile. Ten modules span 3 metres, making regular activity zones straightforward to plan.



Module layout concept

0.09 m²

Nominal area per tile. A 300 × 300 mm module gives your plan a clear grid for color zones and edges.

Allow for cuts, edges and spare tiles when ordering.

01

Elasticity through the material


A soft plastic elastomer defines this series. Choose the sample feel around the daily activity and user group.

02

Make the space clear with color

Separate playing and surrounding areas with contrasting colors. Confirm the available colors and line-marking plan for your project.

Space for daily movement



Everyday children's activity

For ground-level games, movement and ordinary activity zones. An elastic material and color layout help shape the space around its daily use.

Application illustration



Recreational volleyball

A candidate for daily practice and shared recreation courts. Compare a sample for the feel you prefer and plan net posts, clearances and line markings together.

Application illustration

For ground-level activity. Areas beneath elevated play equipment need a separately specified impact-protection system.

Choose your configuration

300 × 300 mm · Tile length × width

HC-R5	Medium-soft
Thickness	18 mm
Tile weight	415 g
Tiles / carton	60
Area / carton	5.4 m ²
Gross / carton	26.35 kg

Packing: Medium-soft

Net: 24.9 kg · 64 × 64 × 28 cm

Approximate carton dimensions. Pallets and extra packaging are additional.

Installation planning

Use a stable, level base. Coordinate drainage, edges, expansion gaps and line markings with the installer.

Get a layout & quotation

Tell us the model, quantity or court dimensions, and destination. We will help you choose the configuration and colors.

Email: info@tuoyueflooring.com

WhatsApp: +1 310-218-8336

tuoyueflooring.com ↗