


Cushion-pad series

QK-25

A compact grid with a pad option.

With pads



250 × 250

Tile size / mm

13.2 mm

Thickness


160 g

Weight per tile

Polypropylene copolymer

250 mm modules with a detailed grid

QK-25 combines a compact tile footprint with a fine grid pattern. The padded version is 13.2 mm thick and weighs 160 g per tile, with a separate non-padded option.



Module layout concept

$$4 \times 4 = 1 \text{ m}^2$$

Sixteen tiles form a one-metre square. Use the small modules to map edges and color changes.

Allow for cuts, edges and spare tiles when ordering.

01

Pad choices for jumping sports


For frequent jumping and landing, we recommend comparing a padded configuration. A sample lets you assess the feel before ordering.

02

Make the space clear with color

Separate playing and surrounding areas with contrasting colors. Confirm the available colors and line-marking plan for your project.


Built around your activities



Basketball courts & training

For shooting practice, movement drills and everyday play. Choose the configuration around the desired feel, court base and level of use.

Application illustration



Recreational indoor futsal

Consider the patterned face for a futsal-focused indoor layout. Plan the playing zone, edges and goal areas as one scheme; confirm the grip requirements for the venue.

Layout concept · not to scale

Plan a stable, level base, drainage where needed, edge transitions and expansion space for the site.

Choose your configuration

250 × 250 mm · Tile length × width

QK-25	With pads	Without pads
Thickness	13.2 mm	12 mm
Tile weight	160 g	148 g
Tiles / carton	152	160
Area / carton	9.5 m ²	10 m ²
Gross / carton	25.82 kg	25.18 kg

Packing: With pads

Net: 24.32 kg · 53 × 53 × 49.5 cm

Approximate carton dimensions. Pallets and extra packaging are additional.

Installation planning

Use a stable, level base. Coordinate drainage, edges, expansion gaps and line markings with the installer.

Get a layout & quotation

Tell us the model, quantity or court dimensions, and destination. We will help you choose the configuration and colors.

Email: info@tuoyueflooring.com

WhatsApp: +1 310-218-8336

tuoyueflooring.com ↗