


Flat-surface series

FLAT-305

A flat surface with a pad option.

With pads

**305 × 305**

Tile size / mm

15.5 mm

Thickness


356 g

Weight per tile

Polypropylene copolymer

305 mm modules for skating-focused spaces

FLAT-305 offers a flat polypropylene face with padded and non-padded configurations. Both use a 15.5 mm profile; the padded option weighs 356 g per tile.



Module layout concept

≈ 0.093 m²

Nominal area per tile. A 305 × 305 mm module gives your plan a clear grid for color zones and edges.

Allow for cuts, edges and spare tiles when ordering.


01 A flat face for skating layouts

Use the flat-surface format as a starting point for recreational skating. Plan joint alignment and transitions with the installer.

02 Make the space clear with color

Separate playing and surrounding areas with contrasting colors. Confirm the available colors and line-marking plan for your project.


A flat surface for recreation



Recreational roller skating

The flat surface is the starting point for this use. Plan an unobstructed skating zone and confirm joints, traction and edge transitions with the installer.

Layout concept · not to scale



School recreation areas

Use flat modules to organize ground-level activity areas. Colors can separate circulation and play zones; choose the final layout around the activities planned.

Application illustration

Plan a stable, level base, drainage where needed, edge transitions and expansion space for the site.

Choose your configuration

305 × 305 mm · Tile length × width

FLAT-305	With pads	Without pads
Thickness	15.5 mm	15.5 mm
Tile weight	356 g	340 g

Plan the order around your layout

Share the court dimensions and color plan for a tile quantity and packing proposal. Include cuts, edge pieces and spare tiles.

Material

Polypropylene copolymer

Installation planning

Use a stable, level base. Coordinate drainage, edges, expansion gaps and line markings with the installer.

Get a layout & quotation

Tell us the model, quantity or court dimensions, and destination. We will help you choose the configuration and colors.

Email: info@tuoyueflooring.com

WhatsApp: +1 310-218-8336

tuoyueflooring.com ↗