


MAX series

MAX-Q1

Think in larger modules.

With pads



400 × 400

Tile size / mm

16.1 mm

Thickness


555 g

Weight per tile

Polypropylene copolymer

400 mm tiles for larger color blocks

The 400 × 400 mm format covers 0.16 m² per tile. Build broad color zones with fewer individual modules per square metre than a 250 mm format.



Module layout concept

0.16 m²

Nominal area per tile. A 400 × 400 mm module gives your plan a clear grid for color zones and edges.

Allow for cuts, edges and spare tiles when ordering.

01

Pad choices for jumping sports


For frequent jumping and landing, we recommend comparing a padded configuration. A sample lets you assess the feel before ordering.

02

Make the space clear with color

Separate playing and surrounding areas with contrasting colors. Confirm the available colors and line-marking plan for your project.


Built around your activities



Basketball courts & training

For shooting practice, movement drills and everyday play. Choose the configuration around the desired feel, court base and level of use.

Application illustration



Recreational indoor futsal

Consider the patterned face for a futsal-focused indoor layout. Plan the playing zone, edges and goal areas as one scheme; confirm the grip requirements for the venue.

Layout concept · not to scale

Plan a stable, level base, drainage where needed, edge transitions and expansion space for the site.

Choose your configuration

400 × 400 mm · Tile length × width

MAX-Q1	With pads	Without pads
Thickness	16.1 mm	14.5 mm
Tile weight	555 g	520 g
Tiles / carton	50	52
Area / carton	8 m ²	8.32 m ²
Gross / carton	29.15 kg	28.44 kg

Packing: With pads

Net: 27.75 kg · 83 × 43 × 42 cm

Approximate carton dimensions. Pallets and extra packaging are additional.

Installation planning

Use a stable, level base. Coordinate drainage, edges, expansion gaps and line markings with the installer.

Get a layout & quotation

Tell us the model, quantity or court dimensions, and destination. We will help you choose the configuration and colors.

Email: info@tuoyueflooring.com

WhatsApp: +1 310-218-8336

tuoyueflooring.com ↗