


Rubber-elastomer series

HC-Y91

A rectangular module with two pad layouts.

Full pad



582 × 300

Tile size / mm

16 mm

Thickness


815 g

Weight per tile

Polypropylene copolymer + rubber elastomer

582 × 300 mm changes the layout rhythm

The elongated HC-Y91 format covers 0.1746 m² per tile. Choose between the 28-pad and full-pad configurations while keeping the same 16 mm profile.



Module layout concept

0.1746 m²

Nominal area per tile. A 582 × 300 mm module gives your plan a clear grid for color zones and edges.

Allow for cuts, edges and spare tiles when ordering.


01 Pad choices for jumping sports

For frequent jumping and landing, we recommend comparing a padded configuration. A sample lets you assess the feel before ordering.

02 Make the space clear with color

Separate playing and surrounding areas with contrasting colors. Confirm the available colors and line-marking plan for your project.


Built around your activities



Basketball courts & training

For shooting practice, movement drills and everyday play. Choose the configuration around the desired feel, court base and level of use.

Application illustration



Community & shared courts

Make basketball the main activity, then use color to separate the playing area from the surrounding space. Plan other activities around the available footprint.

Application illustration

Plan a stable, level base, drainage where needed, edge transitions and expansion space for the site.

Choose your configuration

582 × 300 mm · Tile length × width

HC-Y91	Full pad	28 pads
Thickness	16 mm	16 mm
Tile weight	815 g	643 g
Tiles / carton	40	40
Area / carton	6.984 m²	6.984 m ²
Gross / carton	32.74 kg	25.86 kg

Packing: Full pad

Net: 32.6 kg · 61 × 62 × 34 cm

Approximate carton dimensions. Pallets and extra packaging are additional.

Installation planning

Use a stable, level base. Coordinate drainage, edges, expansion gaps and line markings with the installer.

Get a layout & quotation

Tell us the model, quantity or court dimensions, and destination. We will help you choose the configuration and colors.

Email: info@tuoyueflooring.com

WhatsApp: +1 310-218-8336

tuoyueflooring.com ↗