


MAX series

MAX-X1

A defined pattern for daily court use.

With pads



340 × 340

Tile size / mm

18.5 mm

Thickness


440 g

Weight per tile

Polypropylene copolymer

340 mm modules with two pad options

A geometric face pattern and 340 mm footprint give MAX-X1 a clear visual identity. Choose the padded version when cushioning is a priority for jumping sports.



Module layout concept

0.1156 m²

Nominal area per tile. A 340 × 340 mm module gives your plan a clear grid for color zones and edges.

Allow for cuts, edges and spare tiles when ordering.


01 Pad choices for jumping sports

For frequent jumping and landing, we recommend comparing a padded configuration. A sample lets you assess the feel before ordering.

02 Make the space clear with color

Separate playing and surrounding areas with contrasting colors. Confirm the available colors and line-marking plan for your project.

Built around your activities



Basketball courts & training

For shooting practice, movement drills and everyday play. Choose the configuration around the desired feel, court base and level of use.

Application illustration



Recreational volleyball

A candidate for daily practice and shared recreation courts. Compare a sample for the feel you prefer and plan net posts, clearances and line markings together.

Application illustration

Plan a stable, level base, drainage where needed, edge transitions and expansion space for the site.

Choose your configuration

340 × 340 mm · Tile length × width

MAX-X1	With pads	Without pads
Thickness	18.5 mm	17 mm
Tile weight	440 g	380 g
Tiles / carton	72	75
Area / carton	8.32 m²	8.67 m ²
Gross / carton	33.23 kg	30.05 kg

Packing: With pads

Net: 31.68 kg · 106 × 37 × 44 cm

Approximate carton dimensions. Pallets and extra packaging are additional.

Installation planning

Use a stable, level base. Coordinate drainage, edges, expansion gaps and line markings with the installer.

Get a layout & quotation

Tell us the model, quantity or court dimensions, and destination. We will help you choose the configuration and colors.

Email: info@tuoyueflooring.com

WhatsApp: +1 310-218-8336

tuoyueflooring.com ↗