


Cushion-pad series

FVF

One ice pattern. Three pad choices.

Half pad



305 × 305

Tile size / mm

16.2 mm

Thickness


310 g

Weight per tile

Polypropylene copolymer

Choose the pad layout for your project

FVF offers no-pad, half-pad and full-pad configurations in one 305 mm format. The half-pad option is our starting point for recreational volleyball and indoor futsal projects.



Module layout concept

≈ 0.093 m²

Nominal area per tile. A 305 × 305 mm module gives your plan a clear grid for color zones and edges.

Allow for cuts, edges and spare tiles when ordering.

01 Pad choices for jumping sports

For frequent jumping and landing, we recommend comparing a padded configuration. A sample lets you assess the feel before ordering.

02 Make the space clear with color

Separate playing and surrounding areas with contrasting colors. Confirm the available colors and line-marking plan for your project.


Built around your activities



Recreational volleyball

A candidate for daily practice and shared recreation courts. Compare a sample for the feel you prefer and plan net posts, clearances and line markings together.

Application illustration



Recreational pickleball

Configuration: Without pads

Plan a dedicated court or marked shared space. Compare the tile sample with your intended ball and footwear before choosing the court surface.

Layout concept · not to scale

Plan a stable, level base, drainage where needed, edge transitions and expansion space for the site.

Choose your configuration

305 × 305 mm · Tile length × width

FVF	Half pad	Without pads	Full pad
Thickness	16.2 mm	15 mm	16.2 mm
Tile weight	310 g	295 g	328 g
Tiles / carton	100	108	100
Area / carton	9.3025 m²	10.0467 m ²	9.3025 m ²
Gross / carton	32.65 kg	33.51 kg	34.45 kg

Packing: Half pad

Net: 31 kg · 64 × 64 × 42 cm

Approximate carton dimensions. Pallets and extra packaging are additional.

Installation planning

Use a stable, level base. Coordinate drainage, edges, expansion gaps and line markings with the installer.

Get a layout & quotation

Tell us the model, quantity or court dimensions, and destination. We will help you choose the configuration and colors.

Email: info@tuoyueflooring.com

WhatsApp: +1 310-218-8336

tuoyueflooring.com ↗