


Cushion-pad series

HC-N5

A padded choice for everyday basketball.

With pads



250 × 250

Tile size / mm

16.5 mm

Thickness


270 g

Weight per tile

Polypropylene copolymer

Compact modules, clear color zones

A 250 mm footprint makes the layout easy to count: four tiles along each side form a 1 m² square. Add a padded configuration for basketball-focused projects.



Module layout concept

$$4 \times 4 = 1 \text{ m}^2$$

Sixteen tiles form a one-metre square. Use the small modules to map edges and color changes.

Allow for cuts, edges and spare tiles when ordering.


01 Pad choices for jumping sports

For frequent jumping and landing, we recommend comparing a padded configuration. A sample lets you assess the feel before ordering.

02 Make the space clear with color

Separate playing and surrounding areas with contrasting colors. Confirm the available colors and line-marking plan for your project.


Built around your activities



Basketball courts & training

For shooting practice, movement drills and everyday play. Choose the configuration around the desired feel, court base and level of use.

Application illustration



Indoor badminton

Configuration: With pads / Without pads

A hard polypropylene surface with broad contact areas supports court planning for quick changes of direction. Compare the padded option for added cushioning and check a sample with your playing shoes.

Layout concept · not to scale

Pickleball: choose the Without pads configuration. Compare a sample with your intended ball and footwear before ordering.

Choose your configuration

250 × 250 mm · Tile length × width

HC-N5	With pads	Without pads
Thickness	16.5 mm	15.2 mm
Tile weight	270 g	230 g
Tiles / carton	120	128
Area / carton	7.5 m ²	8 m ²
Gross / carton	33.9 kg	30.94 kg

Packing: With pads

Net: 32.4 kg · 53 × 53 × 49.5 cm

Approximate carton dimensions. Pallets and extra packaging are additional.

Installation planning

Use a stable, level base. Coordinate drainage, edges, expansion gaps and line markings with the installer.

Get a layout & quotation

Tell us the model, quantity or court dimensions, and destination. We will help you choose the configuration and colors.

Email: info@tuoyueflooring.com

WhatsApp: +1 310-218-8336

tuoyueflooring.com ↗